

Your Pelvic Health and the Menopause

Morgan Lowe BSc, Msc


Pelvic Health Physiotherapy Team Lead @ SFH Clinical Lead Physio for Pelvic Health – N&N ICB

World Menopause Day – 18th October 2024






Pelvic Health Overview



- The Menopause can be a risk factor for worsening pelvic health disorders
- Genitourinary Syndrome of the Menopause (GSM)
- As we age the structure and function of our urinary and genital systems changes
- The pelvic organs and their supportive musculature are "Oestrogen responsive"
- Collagen production controlled by Oestrogens




Pelvic Health Overview - What even is my Pelvic Floor?!!




- The pelvic floor muscles are the layer of muscles that support the pelvic organs and span the bottom of the pelvis
- Strong pelvic floor muscles give us better control of our bladder and bowels and support the pelvic organs
- Effects of menopause = thinner, less elastic, less supported



A bit of Audience Participation!







Bladder Function...

- Between 3 and 6 million people in the UK suffer from some degree of urinary incontinence
- Due to the effects of pregnancy, childbirth and <u>menopause</u>, women are FIVE times more likely to suffer from incontinence than men
- Yet only 1 in 5 women seek help



Bladder Function...

- Although very common, it is not normal
- Shouldn't be considered "inevitable"
- Treatment is often very effective and relatively simple

 Bladder problems are not "the price you pay" for being a woman!!!




Bladder Function...

- Two main types of leakage:
- Stress Incontinence Common during perimenopause. LOTS of evidence supporting PFM strengthening to reduce
- 2. Urge Incontinence Sometimes associated with "over active bladder" – topical Oestrogens have been shown to provide some benefit here along with PFM training



Pelvic Organ Prolapse...





What can you do?

• The evidence is clear... some simple lifestyle changes and pelvic floor muscle strengthening can prevent or improve the symptoms of Genitourinary Syndrome of Menopause

 NICE guidance and a strong evidence base support early referral to a Pelvic Health Physiotherapist or Continence Advisory Service for mild-moderate continence issues/prolapse



Give these simple tips a go!

- Reduce caffeine intake (max per day!)
- Ensure you're drinking enough (1.5 2 litres/day)
- Avoid high impact exercise with SUI/POP until seen physio weight bearing exercise doesn't have to mean jumping!
- Avoid "just-in-case" urination
- Try some simple bladder retraining "when did I last go?"
- Avoid constipation
- Most important: Pelvic Floor Exercises!




Pelvic Floor Muscle Exercises...

- Lots of options electrical stimulation, biofeedback, weights/ cones
- Always start with the basics (free!)
- Remembering is half the battle Squeezy App
- Start today... Start Simple...

3x per day 5x 5 second hold. 5x "quick flicks"







References and Helpful Resources

- www.mypfm.com
- www.squeezyapp.com
- Menopause | POGP (thepogp.co.uk)
- www.pelvicpain.org.au

Baruch Y, Torella M, De Bastiani S, Meschia M, Candiani M, Colacurci N, Salvatore S. Pre- versus Post-Menopausal On set of Overactive Bladder and the Response to Vaginal Estrogen Therapy: A Prospective Study. *Medicina*. 2023; 59(2):2 45.

CARETTO, M. et al. Menopause, aging and the failing pelvic floor: a clinician's view. Climacteric: the journal of the International Menopause Societ

MALINAUSKAS, A. P. et al. Efficacy of pelvic floor physiotherapy intervention for stress urinary incontinence in postmeno pausal women: systematic review. **Archives of Gynecology & Obstetrics**, [s. l.], v. 308, n. 1, p. 13–24, 2023.

MERCIER, J. et al. Pelvic floor muscle training: mechanisms of action for the improvement of genitourinary syndrome of menopause. **Climacteric**, [s. l.], v. 23, n. 5, p. 468–473, 2020**y**, [s. l.], v. 24, n. 6, p. 531–532, 2021